

Modelo no-lineal

Prof.: Dr. Alejandro S. M. Santa Cruz

J.T.P.: Dr. Juan Ignacio Manassaldi

Aux. 2^{da}: Sr. Alejandro Jesús Ladreyt

Aux. 2^{da}: Sra. Amalia Rueda

17.12 An investigator has reported the data tabulated below for an experiment to determine the growth rate of bacteria k (per d), as a function of oxygen concentration c (mg/L). It is known that such data can be modeled by the following equation:

$$k = \frac{k_{\max} c^2}{c_s + c^2}$$

where c_s and k_{\max} are parameters. Use a transformation to linearize this equation. Then use linear regression to estimate c_s and k_{\max} and predict the growth rate at $c = 2$ mg/L.


c	0.5	0.8	1.5	2.5	4
k	1.1	2.4	5.3	7.6	8.9

Fuente:

S. Chapra and R. Canale, *Numerical Methods for Engineers, Sixth Edition*, 6 edition. Boston: McGraw-Hill Science/Engineering/Math, 2009.



c	k
0.5	1.1
0.8	2.4
1.5	5.3
2.5	7.6
4	8.9



Modelo propuesto: $k = \frac{k_{max} c^2}{c_s + c^2}$

¿Parámetros? $\longrightarrow k_{max}; c_s$

¿Puedo expresarlo como un sistema de ecuaciones lineales? \longrightarrow NO


Se lo debe transformar en un modelo lineal en los parámetros.

$$k = \frac{k_{max} c^2}{c_s + c^2}$$

$$\frac{1}{k} = \frac{c_s + c^2}{k_{max} c^2} \quad \rightarrow \quad \frac{1}{k} = \frac{c_s}{k_{max} c^2} + \frac{c^2}{k_{max} c^2}$$

$$\frac{1}{k} = \frac{c_s}{k_{max}} \frac{1}{c^2} + \frac{1}{k_{max}}$$

$$\frac{1}{k} = \alpha \frac{1}{c^2} + \beta$$



$x =$

$A =$

$y =$

c	k
0.5	1.1
0.8	2.4
1.5	5.3
2.5	7.6
4	8.9

$$\frac{1}{k} = \frac{c_s}{k_{max}} \frac{1}{c^2} + \frac{1}{k_{max}}$$



$$\frac{1}{k} = \alpha \frac{1}{c^2} + \beta$$

$$x = \begin{pmatrix} \alpha \\ \beta \end{pmatrix}$$

$$A = \begin{pmatrix} \frac{1}{0.5^2} & 1 \\ \frac{1}{0.8^2} & 1 \\ \frac{1}{1.5^2} & 1 \\ \frac{1}{2.5^2} & 1 \\ \frac{1}{4^2} & 1 \end{pmatrix}$$

$$y = \begin{pmatrix} \frac{1}{1.1} \\ \frac{1}{2.4} \\ \frac{1}{5.3} \\ \frac{1}{7.6} \\ \frac{1}{8.9} \end{pmatrix}$$

c	k
0.5	1.1
0.8	2.4
1.5	5.3
2.5	7.6
4	8.9

$$\frac{1}{k} = \frac{c_s}{k_{max}} \frac{1}{c^2} + \frac{1}{k_{max}}$$



$$\frac{1}{k} = \alpha \frac{1}{c^2} + \beta$$

Ecuaciones Normales:

$$x = (A' A) \setminus (A' y)$$

$$\begin{pmatrix} \frac{1}{0.5^2} & 1 \\ \frac{1}{0.8^2} & 1 \\ \frac{1}{1.5^2} & 1 \\ \frac{1}{2.5^2} & 1 \\ \frac{1}{4^2} & 1 \end{pmatrix}$$

$$\begin{pmatrix} \frac{1}{1.1} \\ \frac{1}{2.4} \\ \frac{1}{5.3} \\ \frac{1}{7.6} \\ \frac{1}{8.9} \end{pmatrix}$$

$$\begin{pmatrix} \frac{1}{0.5^2} & \frac{1}{0.8^2} & \frac{1}{1.5^2} & \frac{1}{2.5^2} & \frac{1}{4^2} \\ 1 & 1 & 1 & 1 & 1 \end{pmatrix}$$

$$\begin{pmatrix} 18.668443 & 6.229444 \\ 6.229444 & 5 \end{pmatrix}$$

$(A' A)$

$$\begin{pmatrix} 4.399337 \\ 1.758375 \end{pmatrix}$$

$(A' y)$

Nuevo sistema de ecuaciones

$$\begin{pmatrix} \frac{c_s}{k_{max}} \\ 1 \\ \frac{1}{k_{max}} \end{pmatrix}$$

$$\begin{pmatrix} 18.668443 & 6.229444 \\ 6.229444 & 5 \end{pmatrix} \begin{pmatrix} 4.399337 \\ 1.758375 \end{pmatrix}$$

2x2 se puede resolver por cualquier método

--> (A'*A)\(A'*y)

ans =

0.202488989680293

0.099396281429149

$$\alpha = \frac{c_s}{k_{max}} = 0.20248898$$

$$\beta = \frac{1}{k_{max}} = 0.099396281$$

$$\frac{c_s}{k_{max}} = 0.20248898$$



$$k_{max} = 10.060738$$



$$c_s = 2.037188$$

$$\frac{1}{k_{max}} = 0.099396281$$

Finalmente nuestro modelo es:

$$k = \frac{10.060738c^2}{2.037188 + c^2}$$

Ahora podemos predecir el valor de la tasa de crecimiento a $c=2\text{mg/l}$:

$$k|_{2\text{mg/l}} = \frac{10.060738 \times 2^2}{2.037188 + 2^2} = 6.665843 \frac{\text{bact}}{\text{dia}}$$

